

Metro



*Inspired By Nature,
Made Possible By...*

CTCMEBIBN6



6" side | 3x6 bullnose |

CTCMEBI36
CTCMEBI36NEW2



| 3x6 |

CTCMEBIBN3



3" side | 3x6 bullnose |

CTCMEBIBN33X



| 3x3 bullnose |
corner

CTCMEBIBN212



| 2x12 bullnose |

CTCMEBI412



| 4x12 |

CTCMEBI416



| 4x16 |

SUBWAY TILE

Silver Grey

CTCMESIBN212



| 2x12 bullnose |

CTCMESI412



| 4x12 |

Urban Putty

CTCMEUPBN4



4" side

| 4x12 bullnose |

CTCMEUP412



| 4x12 |

SUBWAY TILE

White

CTCMEWHBN4



| 1/2 x 12 pencil |

CTCMEWHBN212



| 2x12 bullnose |

CTCMEWHBN4



4" side

| 4x12 bullnose |


CTCMEWHBN12



12" side

| 4x12 bullnose |


CTCMEWHBN12XL



left corner

| 4x12 bullnose |

CTCMEWHBN12XR



right corner


| 4x12 bullnose |

CTCMEWHBN38



| 3x8 bullnose |

CTCMEWH68



| 6x8 |

CTCMEWH68F



| 6x8 margerita deco |

CTCMEWH36
CTCMEWH36NEW2



| 3x6 |

CTCMEWHBN33X




| 3x3 bullnose |
corner

CTCMEWHBN6



6" side | 3x6 bullnose |

CTCMEWHBN3



3" side | 3x6 bullnose |

CTCMEWHCB36




| 3x6 cove base |

CTCMEWHCBX



| 3x6 cove base corner |


CTCMEWH412
CTCMEWH824



| 4x12 | | 8x24 |

**8x24 is available
but not shown**

CTCMEWH416




| 4x16 |

SUBWAY TILE



| BEVEL *White*

CTCMEWB48



| 4x8 |

CTCMEWB36



| 3x6 |

| MATTE *White*

CTCMEWM212




| 2x12 |

CTCMEWMBN212



| 2x12 bullnose |

CTCMEWM412
CTCMEWM824



| 4x12 | | 8x24 |

**8x24 is available
but not shown**

Product Specifications

Tile Thickness	5/16"
Minimum Grout Joint Recommendation	1/16"
Shade Variation	Low (V1)

D.C.O.F. Wet	Moisture Absorption	Breaking Strength	MOH's Rating	Chemical Resistance	Abrasion Resistance
<0.42	<20%	100-230 lbs	4.0-6.5	Resistant	N/A

COMMERCIAL USAGE

APPLICATION	INTERIOR			EXTERIOR	
	Residential	Light Commercial	Commercial	Residential	Commercial
Floors / Patios (covered & uncovered)					
Walls / Backsplashes	X	X	X		
Countertops					
Pool Deckings					
Pool Linings					

RESIDENTIAL USAGE

APPLICATION	Walls	Countertops	Exterior Patios	Exterior Pool Decks
Floors	X			

Notes:

- Suitable for exterior walls in non-freezing climates when proper installation methods are followed.
- Darker colors may show scratches.